

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services - Irrigation & CAD Department – Allegations of Substandard quality of works in NSP Lal Bahadur Canal repairs works - Departmental Proceedings against Sri M. Ranga Rao, Superintending Engineer(Retd.) - Sanction under Rule 9 of A.P. Revised Pension Rules, 1980 - for initiation of Departmental action - Accorded.

IRRIGATION & CAD (SER.VII.(V&E-2)) DEPARTMENT

G.O.Ms.No. 55

Dated:25-04-2012

ORDER:

Where as it has been brought to the notice of the Government that Sri M. Ranga Rao, Superintending Engineer (Retd.) during his incumbency as Executive Engineer, Quality control, NSP, Mylavaram has committed dereliction of duties amounting to misconduct and thus violated Rule (3) of Andhra Pradesh Civil Services (conduct) Rules, 1964 and whereas Government have come to a conclusion that there exists a prima facie case to initiate departmental action against Sri M. Ranga Rao, Superintending Engineer.

2. Government of Andhra Pradesh, therefore, in exercise of the powers conferred on them under sub-clause (i) of clause (b) of sub-rule (2) of Rule 9 of Andhra Pradesh Revised Pension Rules, 1980 hereby accord sanction to initiate Departmental Proceedings against the said Sri M. Ranga Rao, Superintending Engineer(Retd.).

3. It is further directed that Departmental proceedings shall be conducted in accordance with the procedure laid down in Rule 20 of A.P Civil Services (CC&A) Rules, 1991.

(BY ORDER AND IN THE NAME OF THE GOVERNOR ANDHRA PRADESH)

SHAILENDRA KUMAR JOSHI
PRINCIPAL SECRETARY TO GOVERNMENT

To

Sri M. Ranga Rao, Superintending Engineer (Retd.)
(**Through**) Engineer-in- Chief (AW), I & CAD Hyderabad).

Copy :

The Engineer-in-Chief (AW), Irrigation & CAD Department, Hyderabad.

//FORWARDED : BY ORDER//

SECTION OFFICER